



St Paul's C of E VA Primary School

Written Calculation Policy

Last Reviewed : March 2024

Next Review: March 2025

<hr/> L Varney	Headteacher	Date: <hr/> 19.3.24
<hr/> S Morrill	Chair of governors	Date: <hr/> 19.3.24

Ethos behind the policy

This Written Calculation Progression (taken from our chosen scheme HfL ESSENTIALmaths) links the key concrete experiences with pictorial and abstract representations (written symbolic and spoken). This supports pupils to move with confidence and deep conceptual understanding through each strand of calculation.

The Importance of Mental Mathematics

While this policy focuses on written calculation in mathematics, St Paul's recognises the importance of mental strategies and known facts that form the basis of all calculations. A range of mental strategies are developed throughout the ESSENTIALmaths scheme. Pupils are provided with frequent opportunities to compare and evaluate different calculation strategies. This helps them develop an understanding that efficiency is personal and based on the numbers involved.

Concrete, Pictorial and Abstract

Concrete manipulatives

Concrete manipulatives are objects that can be touched and moved by pupils to introduce, explore or reinforce a mathematical concept. They provide a vehicle to help pupils make sense of complex, symbolic and abstract ideas through exploration and manipulation. Furthermore, they support the development of internal models and help build stronger memory pathways.

Pictorial (including jottings)

The act of translating the concrete experience into a pictorial representation helps focus attention on what has happened and why. This supports deeper understanding and a stronger imprint on memory. Pictorial representations are more malleable than concrete resources and, once understanding is secured, allow exploration of complex problems that may be challenging to reproduce with manipulatives.

Abstract - Written

The aim, within this policy, is for compacted forms of notation. These have developed through the history of mathematics. Explicit individual steps in procedure are hidden or they have been shortcut. The informal and expanded methods expose all the intermediate steps, replicating thought processes more closely and support understanding prior to compaction.

Abstract – spoken

Learning to use the correct mathematical vocabulary is vital for the development of mathematical proficiency. The ability to articulate accurately allows pupils to communicate and build meaning. Ideas become more permanent. This can be scaffolded effectively using speaking frames.

Addition and Subtraction

Addition		Subtraction	
2LS15	Step 3: Expanded written method; no regrouping (2-digit numbers)	2LS17	Step 4: Expanded written subtraction; a 2-digit number from a 2-digit number with no regrouping.
	Step 4: Expanded written method; regrouping of ones (2-digit numbers)		Step 5: Expanded written subtraction; a 2-digit number from a 2-digit number with regrouping.
3LS8	Step 2: Formal written method; no regrouping (3-digit numbers)	3LS9	Step 1: Formal written subtraction; no regrouping (up to 3-digit numbers)
	Step 3: Formal written method; regrouping of ones (3-digit numbers)		Step 2: Formal written subtraction; regrouping tens into ones (up to 3-digit numbers)
	Step 4: Formal written method; regrouping of tens (3-digit numbers)		Step 3: Formal written subtraction; regrouping hundreds into tens (up to 3-digit numbers)
4LS4	Step 4: Formal written method; regrouping of tens and ones (3-digit numbers)	4LS4	Step 4: Formal written subtraction; regrouping hundreds and tens (up to 3-digit numbers)
	Step 1: Formal written method; no regrouping (4-digit numbers)*		Step 5: Formal written subtraction (revisit)*
	Step 2: Formal written method; regrouping in hundreds, tens and ones (4-digit numbers)*		Step 6: Formal written subtraction; regrouping of thousands*
5LS10	Step 3: Formal written method; regrouping hundreds, tens and ones causing further thousand column (4-digit numbers)*	5LS10	Step 3: Formal column subtraction*
	Step 2: Formal column addition*		

Progression

* indicates that the step is not explicitly exemplified within this progression, as it is a revisit or extension of previously taught

Multiplication and Division

Multiplication		Division	
3LS26	Step 3: Short multiplication; no regrouping	3LS30	Step 2: Long division (sharing structure); sharing ones
	Step 4: Short multiplication; regrouping of ones into tens		Step 3: Long division (sharing structure); no regrouping (2-digit dividend)
	Step 5: Short multiplication; regrouping of tens and ones		Step 4: Long division (sharing structure); regrouping (2-digit dividend)
4LS24	Step 4: Short multiplication; no regrouping (revisit)*	4LS25	Step 2: Long division (sharing structure); regrouping hundreds into tens (up to 3-digit numbers by 1-digit divisor)
	Step 5: Short multiplication; with regrouping causing further thousand column		Step 4: Short division (sharing structure); 1-digit divisor
5LS11	Step 1: Short multiplication; up to 3-digit numbers (revisit)*	5LS12	Step 2: Short division (grouping structure); regrouping tens
	Step 2: Expanded vertical multiplication; 2-digit by 2-digit numbers		Step 3: Short division (grouping structure); regrouping hundreds and tens
	Step 3: Long multiplication; regrouping in first stage only, 2-digit by 2-digit numbers		Step 4: Short division (grouping structure); expressing quotients with fractions
6LS12	Step 3: Long multiplication; regrouping in first and second stage, 2-digit by 2-digit numbers	6LS17	Step 5: Short division (grouping structure); expressing quotients with decimals
	Step 5: Short multiplication, up to 2 decimal places by 1-digit number		Step 2: Long division (grouping structure); up to 4-digit dividend by 2-digit divisor
Year 6 additional examples			
6LS12	Step 3: Long multiplication; 4-digit by 2-digit numbers	6LS17	Step 4: Long division (grouping structure); up to 4-digit dividend by 2-digit divisor - expressing quotients with fractions
			Step 5: Long division (grouping structure); up to 4-digit dividend by 2-digit divisor - expressing quotients with decimals

Progression

* indicates that the step is not explicitly exemplified within this progression, as it is a revisit or extension of previously taught

<h2>Year 2</h2>	<p>NC Statement: Add and subtract numbers using concrete objects, pictorial representations, and mentally, including:</p> <ul style="list-style-type: none"> - a two-digit number and ones - a two-digit number and tens - two, two-digit numbers 	
	<p><i>2LS15 Step 3: Expanded written method with no regrouping (2-digit numbers)</i></p>	
<p>Concrete</p>	<p>Pictorial</p>	<p>Abstract - Written symbolic</p> $\begin{array}{r} 40 \quad 3 \\ + 30 \quad 5 \\ \hline 70 \quad 8 \end{array}$ <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: fit-content; margin: 10px auto;"> $43 + 35 = 78$ </div>
<p>Abstract - Speaking frame</p> <div style="border: 2px solid orange; border-radius: 15px; padding: 10px; margin: 10px auto; width: 80%;"> <p>The sum of ... ones and ... ones is ... ones. The sum of ... tens and ... tens is ... tens. So, ... + ... is equal to ... tens and ... ones, which is ...</p> </div>	<p>Notes: Using embedded tens frame supports pupils to organise ones in preparation for regrouping.</p>	

Addition

<h2>Year 2</h2>	<p>NC Statement: Add and subtract numbers using concrete objects, pictorial representations, and mentally, including:</p> <ul style="list-style-type: none"> - a two-digit number and ones - a two-digit number and tens - two, two-digit numbers 	
	<p><i>2LS15 Step 4: Expanded written method with regrouping of ones (2-digit numbers)</i></p>	
<p>Concrete</p>	<p>Pictorial</p>	<p>Abstract - Written symbolic</p> $\begin{array}{r} 50 + 7 \\ + 20 + 5 \\ \hline 80 + 12 \\ \hline 10 \quad 2 \end{array}$ <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: fit-content; margin: 10px auto;"> $57 + 25 = 82$ </div>
<p>Abstract - Speaking frame</p> <div style="border: 2px solid orange; border-radius: 15px; padding: 10px; margin: 10px auto; width: 80%;"> <p>The sum of ... ones and ... ones is ... ones. This is regrouped into ... ten and ... ones. The sum of ... tens and ... tens is ... tens. So, ... + ... is equal to ... tens and ... ones, which is ...</p> </div>	<p>Notes: Pupils should be encouraged to estimate first and check their answer using a mental method. Using embedded tens frame supports pupils to rapidly see the regroup and to keep their jottings organised.</p>	

Addition

Year 3	<p>NC Statement: Add and subtract numbers with up to three digits, using formal written methods of columnar addition and subtraction</p>	
<p><i>3LS8 Step 2: Formal written addition with no regrouping (up to three-digit numbers)</i></p>		
<p>Concrete</p>	<p>Pictorial</p>	<p>Abstract - Written symbolic</p> $\begin{array}{r} 142 \\ + 334 \\ \hline 476 \end{array}$ <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: fit-content; margin: 10px auto;"> $142 + 334 = 476$ </div>
<p>Abstract - Speaking frame</p> <div style="border: 1px solid orange; border-radius: 15px; padding: 10px; margin: 10px auto;"> <p>The sum of ... ones and ... ones is ... ones. The sum of ... tens and ... tens is ...tens. The sum of ... hundreds and ... hundreds is ... hundreds. So, ... + ... is equal to ... hundreds, ... tens and ... ones, which is ...</p> </div>	<p>Notes: 3LS8 Step 2 revisits the formal written method, first encountered in Year 2, with no regrouping but introduces hundreds. Pupils should be encouraged to estimate first and check their answer using a mental method.</p>	

Addition

Year 3	<p>NC Statement: Add and subtract numbers with up to three digits, using formal written methods of columnar addition and subtraction</p>	
<p><i>3LS8 Step 3: Formal written addition with regrouping of ones (up to three-digit numbers)</i></p>		
<p>Concrete</p>	<p>Pictorial</p>	<p>Abstract - Written symbolic</p> $\begin{array}{r} 247 \\ + 135 \\ \hline 382 \\ 1 \end{array}$ <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: fit-content; margin: 10px auto;"> $247 + 135 = 382$ </div>
<p>Abstract - Speaking frame</p> <div style="border: 1px solid orange; border-radius: 15px; padding: 10px; margin: 10px auto;"> <p>The sum of ... ones and ... ones is ... ones. The sum of ... tens and ... tens is ...tens. The sum of ... hundreds and ... hundreds is ... hundreds. So, ... + ... is equal to ... hundreds, ... tens and ... ones, which is ...</p> </div>	<p>Notes: The focus is on regrouping of ones. Pupils should be encouraged to estimate first and check their answer using a mental method.</p>	

Addition

Year 3	<p>NC Statement: Add and subtract numbers with up to three digits, using formal written methods of columnar addition and subtraction</p>	
<p><i>3LS8 Step 4: Formal written addition with regrouping tens only (up to three-digit numbers)</i></p>		
<p>Concrete</p>	<p>Pictorial</p>	<p>Abstract - Written symbolic</p> $\begin{array}{r} 276 \\ + 50 \\ \hline 326 \\ 1 \end{array}$ <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: fit-content; margin: 10px auto;"> $276 + 50 = 326$ </div>
<p>Abstract - Speaking frame</p> <div style="border: 1px solid orange; border-radius: 15px; padding: 10px;"> <p>The sum of ... ones and ... ones is ... ones. This is regrouped into ... tens and ... ones. The sum of ... tens and ... tens is ... tens. The sum of ... hundreds and ... hundreds is ... hundreds. So, ... + ... is equal to ... hundreds, ... tens and ... ones, which is</p> </div>		<p>Notes: The focus is on regrouping of tens. Pupils should be encouraged to estimate first and check their answer using a mental method.</p>

Addition

Year 3	<p>NC Statement: Add and subtract numbers with up to three digits, using formal written methods of columnar addition and subtraction</p>	
<p><i>3LS8 Step 4: Formal written addition with regrouping tens and ones (up to three-digit numbers)</i></p>		
<p>Concrete</p>	<p>Pictorial</p>	<p>Abstract - Written symbolic</p> $\begin{array}{r} 276 \\ + 56 \\ \hline 332 \\ 11 \end{array}$ <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: fit-content; margin: 10px auto;"> $276 + 56 = 332$ </div>
<p>Abstract - Speaking frame</p> <div style="border: 1px solid orange; border-radius: 15px; padding: 10px;"> <p>The sum of ... ones and ... ones is ... ones. This is regrouped into ... tens and ... ones. The sum of ... tens and ... tens is ... tens. This is regrouped into ... hundreds and ... tens. The sum of ... hundreds and ... hundreds is ... hundreds. So, ... + ... is equal to ... hundreds, ... tens and ... ones, which is ...</p> </div>		<p>Notes: Pupils should be encouraged to estimate first and check their answer using a mental method.</p> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; margin-top: 10px;"> <p>Once pupils have fully understood and rehearsed regrouping within formal column addition of 3-digit numbers, this learning continues to be rehearsed and applied throughout Years 4, 5 and 6, including to 4-digit numbers, larger numbers, decimal numbers, money and measures.</p> </div>

Addition

Year 2	<p>NC Statement: add and subtract numbers using concrete objects, pictorial representations, and mentally, including:</p> <ul style="list-style-type: none"> - a two-digit number and ones - a two-digit number and tens - two, two-digit numbers. 	
2LS17 Step 4: Expanded written subtraction, a 2-digit number from a 2-digit number with no regrouping		
Concrete	Pictorial	Abstract - Written symbolic
		$\begin{array}{r} 80 + 7 \\ - 30 + 4 \\ \hline 50 + 3 \\ \hline \end{array}$ <p style="text-align: center; background-color: #e0f0e0; padding: 5px;">$87 - 34 = 53$</p>
<p>Abstract - Speaking frame</p> <div style="border: 1px solid orange; border-radius: 15px; padding: 10px; margin: 10px 0;"> <p>... ones take away ... ones leaves ... ones. ... tens take away ... tens leaves ... tens. So, ... - ... is equal to ... tens and ... ones, which is ...</p> </div>		<p>Notes:</p> <p>Pupils should be encouraged to estimate first and check their answer using a mental method.</p>

Subtraction

Year 2	<p>NC Statement: add and subtract numbers using concrete objects, pictorial representations, and mentally, including:</p> <ul style="list-style-type: none"> - a two-digit number and ones - a two-digit number and tens - two, two-digit numbers. 	
2LS17 Step 5: Expanded written subtraction, a 2-digit number from a 2-digit number with regrouping		
Concrete	Pictorial	Abstract - Written symbolic
		$\begin{array}{r} 60 \quad 13 \\ 70 \quad + \quad 3 \\ - 40 \quad + \quad 6 \\ \hline 20 \quad + \quad 7 \\ \hline \end{array}$ <p style="text-align: center; background-color: #e0f0e0; padding: 5px;">$73 - 46 = 27$</p>
<p>Abstract - Speaking frame</p> <div style="border: 1px solid orange; border-radius: 15px; padding: 10px; margin: 10px 0;"> <p>I can see that there aren't enough ones for me to take away ... ones without regrouping. Regroup one ten into ten ones. There are now ... tens and ... ones. ... ones take away ... ones leaves ... ones. ... tens take away ... tens leaves ... tens. So, ... - ... is equal to ... tens and ... ones, which is ...</p> </div>		<p>Notes:</p> <p>Using embedded tens frame supports pupils to regroup accurately and to keep their jottings organised.</p> <p>Speaking frame note: "I can see that there aren't enough ones for me to take away 6 ones without regrouping. Regroup one ten into ten ones. There are now 6 tens and 13 ones."</p>

Subtraction

<h2>Year 3</h2>	<p>NC Statement: Add and subtract numbers with up to three digits, using formal written methods of columnar addition and subtraction</p>	
<p><i>3LS9 Step 1: Formal written subtraction with no regrouping (up to 3-digit numbers)</i></p>		
<p>Concrete</p>	<p>Pictorial</p>	<p>Abstract - Written symbolic</p> $\begin{array}{r} 345 \\ - 124 \\ \hline 221 \end{array}$ <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: fit-content; margin: 10px auto;"> $345 - 124 = 221$ </div>
<p>Abstract - Speaking frame</p> <div style="border: 2px solid orange; border-radius: 15px; padding: 10px;"> <p>... ones take away ... ones leaves ... ones. ... tens take away ... tens leaves ... tens. ... hundreds take away ... hundreds leaves ... hundreds. So, ... - ... is equal to ... hundreds, ... tens and ... ones, which is ...</p> </div>		<p>Notes: Pupils should be encouraged to estimate first and check their answer using a mental method.</p>

<h2>Year 3</h2>	<p>NC Statement: Add and subtract numbers with up to three digits, using formal written methods of columnar addition and subtraction</p>	
<p><i>3LS9 Step 2: Formal written subtraction – regrouping tens into ones only (up to 3-digit numbers)</i></p>		
<p>Concrete</p>	<p>Pictorial</p>	<p>Abstract - Written symbolic</p> $\begin{array}{r} 7\cancel{8}^{10} \\ - 24 \\ \hline 56 \end{array}$ <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: fit-content; margin: 10px auto;"> $80 - 24 = 56$ </div>
<p>Abstract - Speaking frame</p> <div style="border: 2px solid orange; border-radius: 15px; padding: 10px;"> <p>I can see that there aren't enough ones for me to take away ... ones without regrouping. Regroup one ten into ten ones. There are now ... tens and ... ones. ... ones take away ... ones leaves ... ones. ... tens take away ... tens leaves ... tens. So, ... - ... is equal to ... tens and ... ones, which is ...</p> </div>		<p>Notes: It is important that pupils understand that 80 has been regrouped into 70 and 10. If pupils struggle with the compact notation refer to 2LS17 Step 5 for the expanded method. Speaking frame note: <i>"I can see that there aren't enough ones for me to take away 4 ones without regrouping. Regroup one ten into ten ones. There are now ten ones and zero ones. 10 ones take away 4 ones leaves six ones. 7 tens take away 2 tens leaves 5 tens. So, 80 - 24 is equal to 5 tens and 6 ones, which is 56."</i></p>

Year 3	<p>NC Statement: Add and subtract numbers with up to three digits, using formal written methods of columnar addition and subtraction</p>	
<p>3LS9 Step 3: Formal written subtraction – regrouping hundreds into tens only (up to 3-digit numbers)</p>		
<p>Concrete</p>	<p>Pictorial</p>	<p>Abstract - Written symbolic</p> $\begin{array}{r} \overset{2}{\cancel{3}} \overset{1}{2} 3 \\ - 141 \\ \hline 182 \end{array}$ <p style="text-align: center; background-color: #e0f0e0; padding: 5px;">$323 - 141 = 182$</p>
<p>Abstract - Speaking frame</p> <div style="border: 1px solid orange; border-radius: 15px; padding: 10px;"> <p>... ones take away ... ones leaves ... ones. I can see that there aren't enough tens for me to take away ... tens without regrouping. Regroup one hundred into ten hundreds. There are now ... hundreds and ... tens. ... tens take away ... tens leaves ... tens. ... hundreds take away ... hundreds leaves ... hundreds So, ... - ... is equal to ... hundreds, ... tens and ... ones, which is</p> </div>		<p>Notes: It is important that pupils start to identify where regrouping is necessary. Ensure that pupils are confident that the minuend may have been regrouped but it is still of equal value prior to subtraction.</p>

Subtraction

Year 3	<p>NC Statement: Add and subtract numbers with up to three digits, using formal written methods of columnar addition and subtraction</p>	
<p>3LS9 Step 4: Formal written subtraction - regrouping hundreds and tens (up to 3-digit numbers)</p>		
<p>Concrete</p>	<p>Pictorial</p>	<p>Abstract - Written symbolic</p> $\begin{array}{r} \overset{3}{\cancel{4}} \overset{1}{0} \overset{9}{4} \\ - 226 \\ \hline 178 \end{array}$ <p style="text-align: center; background-color: #e0f0e0; padding: 5px;">$404 - 226 = 178$</p>
<p>Abstract - Speaking frame</p> <div style="border: 1px solid orange; border-radius: 15px; padding: 10px;"> <p>I will need to regroup...</p> <ul style="list-style-type: none"> • one hundred into ten tens. I now have ... hundreds and ... tens. • one ten into ten ones. I now have ... tens and ... ones. </div>		<p>Notes: Speaking frame hint: This is not a complete speaking frame. It is structured to support pupils with the language of regroup only.</p> <div style="background-color: #e0f0e0; padding: 5px; margin-top: 5px;"> <p>Once pupils have fully understood and rehearsed regrouping within formal subtraction, this learning continues to be rehearsed and applied throughout Years 4, 5 and 6, including to multi-digit, decimal numbers, money and measures.</p> </div>

Subtraction

Year 3	<p>NC Statement: Write and calculate mathematical statements for multiplication and division using the multiplication tables that they know, including for two-digit numbers times one-digit numbers, using mental and progressing to formal written methods</p>	
<p>3LS26 Step 3: Introducing short multiplication with no regrouping</p>		
Concrete	Pictorial - Jottings	Abstract - Written symbolic
		$\begin{array}{r} 12 \\ \times 3 \\ \hline 36 \end{array}$ <div style="border: 1px solid orange; padding: 5px; text-align: center; margin-top: 10px;"> $12 \times 3 = 36$ </div>
<p>Abstract - Speaking frame</p> <div style="border: 1px solid orange; border-radius: 15px; padding: 10px; margin-top: 10px;"> <p>... groups of ... ones is ... ones. ... groups of ... tens is ... tens. ... tens added to ... ones is ... The product of ... and ... is ...</p> </div>		<p>Notes:</p> <p>Pupils have already met the distributive law (3LS18) and rehearsed multiplying by ten (3LS25). The focus of this step is support pupils in making the connection between informal distributive approach and the formal layout.</p> <p>Speaking frame note: "3 groups of 2 ones is 6 ones. 3 groups of 1 ten is 3 tens. 3 tens added 6 ones is 36. The product of 12 and 3 is 36."</p>

Multiplication

Year 3	<p>NC Statement: Write and calculate mathematical statements for multiplication and division using the multiplication tables that they know, including for two-digit numbers times one-digit numbers, using mental and progressing to formal written methods</p>	
<p>3LS26 Step 4: Short multiplication with regrouping of ones into tens only</p>		
Concrete	Pictorial - Jottings	Abstract - Written symbolic
		$\begin{array}{r} 24 \\ \times 3 \\ \hline 72 \end{array}$ <div style="border: 1px solid orange; padding: 5px; text-align: center; margin-top: 10px;"> $24 \times 3 = 72$ </div>
<p>Abstract - Speaking frame</p> <div style="border: 1px solid orange; border-radius: 15px; padding: 10px; margin-top: 10px;"> <p>... groups of ... ones is ... ones. <i>I can regroup the ... ones into ... ten(s) and ... one(s).</i> ... groups of ... tens is ... tens. ... ten(s) added to ... is ... The product of ... and ... is ...</p> </div>		<p>Notes:</p> <p>Pupils have already met the distributive law (3LS18) and rehearsed multiplying by ten (3LS25). The focus of this step is to support pupils in making the connection between informal distributive approach and the formal layout.</p> <p>Speaking frame note: "3 groups of 4 ones is 12 ones. I can regroup the 12 ones into 1 ten and 2 ones. 3 groups of 2 tens is 6 tens. 1 ten added to 6 tens is 7 tens. The product of 24 x 3 is 72." Pupils should be encouraged to consider whether italicised language in the speaking frame is required in the calculation.</p>

Multiplication

Year 3	<p>NC Statement: Write and calculate mathematical statements for multiplication and division using the multiplication tables that they know, including for two-digit numbers times one-digit numbers, using mental and progressing to formal written methods</p>	
<p>3LS26 Step 5: Short multiplication with regrouping of tens and ones</p>		
<p>Concrete</p>	<p>Pictorial - Jottings</p>	<p>Abstract - Written symbolic</p> $\begin{array}{r} 27 \\ \times 5 \\ \hline 135 \\ \hline \end{array}$ <p style="text-align: center; border: 1px solid orange; border-radius: 10px; padding: 5px; width: fit-content; margin: 10px auto;">$27 \times 5 = 135$</p>
<p>Abstract - Speaking frame</p> <div style="border: 1px solid orange; border-radius: 15px; padding: 10px; margin: 10px auto; width: 80%;"> <p>... groups of ... ones is ... ones. I can regroup the ... ones into ... ten(s) and ... one(s). ... groups of ... tens is ... tens. ... ten(s) added to ... ten(s) is ... I can regroup the ... tens into ... hundred(s) and ... ten(s) The product of ... and ... is ...</p> </div>		<p>Notes: At this stage, the pictorial representation is being used as a checking point to ensure pupils answer accurately. This allows focused attention on understanding the abstract recording. Speaking frame note: <i>"5 groups of 7 ones is 35 ones. I can regroup the 35 ones into 3 tens and 5 ones. 5 groups of 2 tens is 10 tens. 3 tens added to 10 tens is 13 tens. I can regroup the 13 tens into 1 hundred and 3 tens. The product of 27 x 5 is 135."</i></p>

Year 4	<p>NC Statement: Multiply 2-digit and 3-digit numbers by a one-digit number using formal written layout (short multiplication)</p>	
<p>4LS24 Step 5: Formal written multiplication with regrouping which generates a new column</p>		
<p>Concrete</p>	<p>Pictorial - Jottings</p>	<p>Abstract - Written symbolic</p> $\begin{array}{r} 421 \\ \times 3 \\ \hline 1263 \\ \hline \end{array}$ <p style="text-align: center; border: 1px solid orange; border-radius: 10px; padding: 5px; width: fit-content; margin: 10px auto;">$421 \times 3 = 1263$</p>
<p>Abstract - Speaking frame</p> <div style="border: 1px solid orange; border-radius: 15px; padding: 10px; margin: 10px auto; width: 80%;"> <p>... groups of ... ones is ... ones. (<i>Do I need to regroup?</i>) ... groups of ... tens is ... tens. (<i>Do I need to regroup?</i>) ... groups of ... hundreds is ... hundreds. (<i>Do I need to regroup?</i>) (... hundreds can be regrouped to ... thousands and ... hundreds) The product of ... and ... is ...</p> </div>		<p>Notes: At this stage, the pictorial representation is being used as a checking point to ensure that pupils answer accurately. This allows focused attention on understanding the abstract recording. <i>Pupils should be encouraged to consider whether the italicised language in the speaking frame is required in the calculation.</i></p>

Year 5	<p>NC Statement: Multiply numbers up to 4 digits by a one- or two-digit number using a formal written method, including long multiplication for two-digit numbers</p>													
5LS11 Step 2: Expanded vertical multiplication 2-digit by 2-digit														
<p style="text-align: center;">Concrete</p>	<p style="text-align: center;">Pictorial - Jottings</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="border: 1px solid black; padding: 5px;">x</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">30</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">2</td> <td style="padding: 5px;"></td> </tr> <tr> <td style="border: 1px solid black; padding: 5px; text-align: center;">10</td> <td style="border: 1px solid black; padding: 5px; text-align: center; color: red;">300</td> <td style="border: 1px solid black; padding: 5px; text-align: center; color: blue;">20</td> <td style="padding: 5px;">= 320</td> </tr> <tr> <td style="border: 1px solid black; padding: 5px; text-align: center;">4</td> <td style="border: 1px solid black; padding: 5px; text-align: center; color: green;">120</td> <td style="border: 1px solid black; padding: 5px; text-align: center; color: purple;">8</td> <td style="padding: 5px;">= 128</td> </tr> </table>	x	30	2		10	300	20	= 320	4	120	8	= 128	<p style="text-align: center;">Abstract - Written symbolic</p> $ \begin{array}{r} 32 \\ \times 14 \\ \hline 8 \\ 120 \\ \hline 300 \\ 448 \end{array} $ <div style="border: 1px solid orange; border-radius: 10px; padding: 5px; text-align: center; margin-top: 10px;"> $32 \times 14 = 448$ </div>
x	30	2												
10	300	20	= 320											
4	120	8	= 128											
<p>Abstract - Speaking frame</p> <div style="border: 1px solid orange; border-radius: 15px; padding: 10px;"> <p>First, I need to consider the ones in the multiplier. ... groups of ... ones is ones. ... groups of ... tens is tens. (Do I need to regroup?) Then, tens in the multiplier. ... groups of ... ones is ones. (Do I need to regroup?) ... groups of ... tens is tens. (Do I need to regroup?) The total of all the partial products is ... The product of ... and ... is ...</p> </div>		<p>Notes: This is a transitional method towards long multiplication. Using the grid supports pupils in their thinking about multiplying by powers of ten and place value. Secure understanding of both of these concepts allow pupils to move to long multiplication more successfully. Speaking frame hint: linking to what we know and correct place value. For example, 10 groups of 3 tens is 30 tens. This can be regrouped to 3 hundreds.</p>												

Multiplication

Year 5	<p>NC Statement: Multiply numbers up to 4 digits by a one- or two-digit number using a formal written method, including long multiplication for two-digit numbers</p>													
5LS11 Step 3: Long multiplication 2-digit by 2-digit with simple regrouping														
<p style="text-align: center;">Concrete</p>	<p style="text-align: center;">Pictorial - Jottings</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="border: 1px solid black; padding: 5px;">x</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">30</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">2</td> <td style="padding: 5px;"></td> </tr> <tr> <td style="border: 1px solid black; padding: 5px; text-align: center;">10</td> <td style="border: 1px solid black; padding: 5px; text-align: center; color: red;">300</td> <td style="border: 1px solid black; padding: 5px; text-align: center; color: blue;">20</td> <td style="padding: 5px;">= 320</td> </tr> <tr> <td style="border: 1px solid black; padding: 5px; text-align: center;">4</td> <td style="border: 1px solid black; padding: 5px; text-align: center; color: green;">120</td> <td style="border: 1px solid black; padding: 5px; text-align: center; color: purple;">8</td> <td style="padding: 5px;">= 128</td> </tr> </table>	x	30	2		10	300	20	= 320	4	120	8	= 128	<p style="text-align: center;">Abstract - Written symbolic</p> $ \begin{array}{r} 32 \\ \times 14 \\ \hline 8 \\ 128 \\ \hline 320 \\ 448 \end{array} $ <div style="border: 1px solid orange; border-radius: 10px; padding: 5px; text-align: center; margin-top: 10px;"> $32 \times 14 = 448$ </div>
x	30	2												
10	300	20	= 320											
4	120	8	= 128											
<p>Abstract - Speaking frame</p> <div style="border: 1px solid orange; border-radius: 15px; padding: 10px;"> <p>First, I need to consider the ones in the multiplier. ... groups of ... ones is ones. (Do I need to regroup?) ... groups of ... tens is tens. (Do I need to regroup?) Then, considering tens in the multiplier. ... groups of ... ones is ones. (Do I need to regroup?) ... groups of ... tens is tens. (Do I need to regroup?) The total of all the partial products is ... The product of ... and ... is ...</p> </div>		<p>Notes: Speaking frame hint: linking to what we know and correct place value. For example, 10 groups of 3 tens is 30 tens (linking to known fact 10 x 3). This can be regrouped to 3 hundreds.</p>												

Multiplication

Year 5	<p>NC Statement: Multiply numbers up to 4 digits by a one- or two-digit number using a formal written method, including long multiplication for two-digit numbers</p>													
5LS11 Step 3: Long multiplication 2-digit by 2-digit, focusing on regroup in first partial product														
<p style="text-align: center;">Concrete</p>	<p style="text-align: center;">Pictorial</p> <table style="margin-left: auto; margin-right: auto;"> <tr> <td style="padding: 5px;">x</td> <td style="padding: 5px; text-align: center;">30</td> <td style="padding: 5px; text-align: center;">2</td> <td style="padding: 5px;"></td> </tr> <tr> <td style="padding: 5px;">10</td> <td style="padding: 5px; text-align: center; color: red;">300</td> <td style="padding: 5px; text-align: center; color: red;">20</td> <td style="padding: 5px;">= 320</td> </tr> <tr> <td style="padding: 5px;">6</td> <td style="padding: 5px; text-align: center; color: green;">180</td> <td style="padding: 5px; text-align: center; color: green;">12</td> <td style="padding: 5px;">= 192</td> </tr> </table>	x	30	2		10	300	20	= 320	6	180	12	= 192	<p style="text-align: center;">Abstract - Written symbolic</p> $ \begin{array}{r} 32 \\ \times 16 \\ \hline 192 \\ 320 \\ \hline 512 \end{array} $ <div style="border: 1px solid orange; border-radius: 10px; padding: 5px; text-align: center; margin-top: 10px; color: white; background-color: #f4a460;"> $32 \times 16 = 512$ </div>
x	30	2												
10	300	20	= 320											
6	180	12	= 192											
<p>Abstract - Speaking frame</p> <div style="border: 1px solid orange; border-radius: 15px; padding: 10px;"> <p>First, I need to consider the ones in the multiplier. ... groups of ... ones is ... ones. (Do I need to regroup?) ... groups of ... tens is ... tens. (Any regroup to add? Do I need to regroup?) Then, considering tens in the multiplier. ... groups of ... ones is ... ones. (Do I need to regroup?) ... groups of ... tens is ... tens. (Do I need to regroup?) The total of all the partial products is ... The product of ... and ... is ...</p> </div>		<p>Notes: Speaking frame hint: linking to what we know and correct place value. For example, 6 groups of 3 tens is 18 tens (linking to known fact $6 \times 3 = 18$). This can be regrouped to 1 hundred and 8 tens.</p>												

Multiplication

Year 5	<p>NC Statement: Multiply numbers up to 4 digits by a one- or two-digit number using a formal written method, including long multiplication for two-digit numbers</p>	
5LS11 Step 3: Long multiplication 2-digit by 2-digit regrouping in first and second stage		
<p style="text-align: center;">Concrete</p>	<p style="text-align: center;">Pictorial - Jottings</p>	<p style="text-align: center;">Abstract - Written symbolic</p> $ \begin{array}{r} 132 \\ \times 46 \\ \hline 792 \\ 5280 \\ \hline 6072 \end{array} $ <div style="border: 1px solid orange; border-radius: 10px; padding: 5px; text-align: center; margin-top: 10px; color: white; background-color: #f4a460;"> $132 \times 46 = 6,072$ </div>
<p>Abstract - Speaking frame</p> <div style="border: 1px solid orange; border-radius: 15px; padding: 10px;"> <p>First, I need to consider the ones in the multiplier. ... groups of ... ones is ... ones. (Do I need to regroup?) ... groups of ... tens is ... tens. (Any regroup to add? Do I need to regroup?) Then, considering tens in the multiplier. ... groups of ... ones is ... ones. (Do I need to regroup?) ... groups of ... tens is ... tens. (Any regroup to add? Do I need to regroup?) The total of all the partial products is ... The product of ... and ... is ...</p> </div>		<p>Notes: Speaking frame hint: linking to what we know and correct place value. For example, 6 groups of 3 tens is 18 tens (linking to known fact $6 \times 3 = 18$). This can be regrouped to 1 hundred and 8 tens.</p>



Multiplication



Year 6	<p>NC Statement: Multiply numbers up to 4 digits by a one- or two-digit number using a formal written method, including long multiplication for two-digit numbers</p>	
<p><i>6LS12 Step 5: Formal written multiplication involving numbers with up to 2 decimal places multiplied by a 1-digit number</i></p>		
<p>Concrete</p>	<p>Pictorial - Jottings Jottings: multiples of tricky multipliers</p> <p>6 12 18 24 30 36 42 48 54 60 66 72</p>	<p>Abstract - Written symbolic</p> $\begin{array}{r} ^2 ^1 \\ 34.2 \\ \times 6 \\ \hline 205.2 \end{array}$ <p>$34.2 \times 6 = 205.2$</p>
<p>Abstract - Speaking frame</p> <p>... groups of ... tenths is ... tenths. (Do I need to regroup?) ... groups of ... ones is ... ones. (Any regroup to add? Do I need to regroup?) ... groups of ... tens is ... tens. (Any regroup to add? Do I need to regroup?) The product of ... and ... is ...</p>		<p>Notes: Speaking frame hint: linking to what we know and correct place value. For example, 6 groups of 3 tens is 18 tens (linking to known fact $6 \times 3 = 18$). This can be regrouped to 1 hundred and 8 tens.</p>



Multiplication



Year 3	<p>NC Statement: Write and calculate mathematical statements for multiplication and division using the multiplication tables that they know, including for two-digit numbers times one-digit numbers, using mental and progressing to formal written methods</p>	
<p><i>3LS30 Step 2: Introducing the long division method (sharing ones)</i></p>		
<p>Concrete</p>	<p>Pictorial</p>	<p>Abstract - Written symbolic</p> $\begin{array}{r} 3 \\ 4 \overline{) 13} \\ \underline{12} \\ 1 \end{array}$ <p>$13 \div 4 = 3 \text{ r } 1$</p>
<p>Abstract - Speaking frame</p> <p>I am sharing ... ones into ... equal groups. There are ... ones in each group. I have ... one(s) remaining. The quotient is ... with ... remainders.</p>		<p>Notes: Pupils are introduced to the long division method for the first time in this sequence. Short division will not be introduced until pupils have understood all of the stages in this expanded form. In the calculation $96 \div 4$, for example, pupils often struggle to understand that 1 ten will be regrouped after 8 tens have been used in the 4 groups. This is hidden in short division but recorded in long division.</p>

Division

Year 3	<p>NC Statement: Write and calculate mathematical statements for multiplication and division using the multiplication tables that they know, including for two-digit numbers times one-digit numbers, using mental and progressing to formal written methods</p>	
<p>3LS30 Step 3: Long division of tens and ones with no regrouping (sharing structure)</p>		
Concrete	Pictorial	Abstract - Written symbolic
		$\begin{array}{r} 42 \\ 2 \overline{) 84} \\ \underline{- 8} \\ 0 \\ \underline{ 4} \\ 0 \end{array}$ <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: fit-content; margin: 10px auto;"> $84 \div 2 = 42$ </div>
<p>Abstract - Speaking frame</p> <div style="border: 2px solid orange; border-radius: 15px; padding: 10px; margin: 10px auto; width: 80%;"> <p>First, I am sharing ... tens into ... equal groups. There are ... tens in each group. I have ... ten(s) remaining. Then, I am sharing ... ones into ... equal groups. There are ... ones in each group. I have ... one(s) remaining. The quotient is ... with ... remainders.</p> </div>		<p>Notes:</p> <p>This stage is to support pupils' understanding of the abstract notation. They learn to record how many tens are in each group, if there are any tens remaining and what the arrow means.</p> <p>Speaking frame note: "First, I am sharing 8 tens into 2 equal groups. There are 4 tens in each group. I have zero tens remaining. Then, I am sharing 4 ones into 2 equal groups. There are 2 ones in each group. I have zero ones remaining. The quotient is 42 with no remainders."</p>

Year 3	<p>NC Statement: Write and calculate mathematical statements for multiplication and division using the multiplication tables that they know, including for two-digit numbers times one-digit numbers, using mental and progressing to formal written methods</p>	
<p>3LS30 Step 4: Long division of tens and ones with regrouping (sharing structure)</p>		
Concrete	Pictorial	Abstract - Written symbolic
		$\begin{array}{r} 37 \\ 2 \overline{) 74} \\ \underline{- 6} \\ 1 \\ \underline{- 1} \\ 0 \end{array}$ <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: fit-content; margin: 10px auto;"> $74 \div 2 = 37$ </div>
<p>Abstract - Speaking frame</p> <div style="border: 2px solid orange; border-radius: 15px; padding: 10px; margin: 10px auto; width: 80%;"> <p>First, I am sharing ... tens into ... equal groups. There are ... tens in each group. I have ... ten(s) remaining. I need to regroup the remaining ... ten(s) into ... ones. I now have ... ones in total. Then, I am sharing ... ones into ... equal groups. There are ... ones in each group. I have ... one(s) remaining. The quotient is ... with ... remainders.</p> </div>		<p>Notes:</p> <p>This is a crucial stage as it demonstrates the regrouping of the remaining tens for ones and how this is recorded abstractly.</p> <p>Speaking frame note: "... I have 1 ten remaining. I need to regroup the remaining 1 ten into 10 ones. I now have 14 ones in total..."</p>

<p>Year 4</p>	<p>NC Statement: Pupils practise to become fluent in the formal written method of short multiplication and short division with exact answers (non-statutory guidance)</p>	
<p>4LS25 Step 2: Long division with regrouping hundreds into tens (sharing structure)</p>		
<p>Concrete</p> 	<p>Pictorial</p> 	<p>Abstract - Written symbolic</p> $\begin{array}{r} 142 \\ 3 \overline{) 426} \\ \underline{- 3} \\ 12 \\ \underline{- 12} \\ 06 \\ \underline{- 06} \\ 0 \end{array}$ <p>$426 \div 3 = 142$</p>
<p>Abstract - Speaking frame</p> <p>First, I am sharing ... hundreds into ... equal groups. There are ... hundreds in each group. I have ... hundred(s) remaining. I need to regroup the remaining ... hundreds into ... tens. I now have ... tens in total. Next, I am sharing ... tens into .. equal groups.</p>	<p>Notes: Pupils revisit long division with no regrouping in 4LS25 step 1. This is to ensure that they understand the abstract recording of long division. Speaking frame note: This stage is an extension to the previous speaking frame – focusing on the hundreds regroup.</p>	

<p>Year 4</p>	<p>NC Statement: Pupils practise to become fluent in the formal written method of short multiplication and short division with exact answers (non-statutory guidance)</p>	
<p>4LS25 Step 4: Introducing formal short division (sharing structure)</p>		
<p>Concrete</p> 	<p>Pictorial</p> 	<p>Abstract - Written symbolic</p> $\begin{array}{r} 142 \\ 3 \overline{) 426} \\ \underline{- 3} \\ 12 \\ \underline{- 12} \\ 06 \\ \underline{- 06} \\ 0 \end{array}$ <p>$426 \div 3 = 142$</p>
<p>Abstract - Speaking frame</p> <p>First, I am sharing ... hundreds into ... equal groups. There are ... hundreds in each group. I have ... hundred(s) remaining. I need to regroup the remaining ... hundreds into ... tens. I now have ... tens in total. Next, I am sharing ... tens into .. equal groups.</p>	<p>Notes: In this stage, pupils learn that the thinking processes for long and short division are the same – it is only the abstract written that is different. It is important that pupils are able to link this to the long division format and can explain the compaction. Speaking frame note: This stage is an extension to the previous speaking frame – focusing on the hundreds regroup.</p>	

Year 5	<p>NC Statement: Divide numbers up to 4 digits by a one-digit number using the formal written method of short division and interpret remainders appropriately for the context</p>	
<p>5LS12 Step 2: Introducing formal short division regroup from tens to ones (grouping structure)</p>		
<p>Concrete</p>	<p>Pictorial - Jottings</p>	<p>Abstract - Written symbolic</p> $\begin{array}{r} 13 \\ 4 \overline{) 52} \\ \underline{40} \\ 12 \\ \underline{12} \\ 0 \end{array}$ <p style="background-color: #f0f0f0; padding: 5px; border: 1px solid #ccc; border-radius: 10px; display: inline-block;">$52 \div 4 = 13$</p>
<p>Abstract - Speaking frame</p> <div style="border: 2px solid orange; border-radius: 15px; padding: 10px;"> <p>I want to know how many groups of ... are in How many groups of ... tens are in ... tens without regrouping? I can make ... group(s) of ... tens. There is/are ... ten(s) remaining. I need to regroup the ... tens into ... ones. I now have ... ones. How many groups of ... ones are in ... ones, without regrouping? I can make ... group(s) of ... ones. There is/are ... one(s) remaining. There are ... groups of ... in ... with ... remainders.</p> </div>		<p>Notes: Pupils are encouraged to progress to a grouping model of division. This is in preparation for 2-digit divisors and understanding fractions expressed as part of the quotient. Pupils should explore with simple division calculations to ensure that they understand the shift in structure. Speaking frame note: In this example, the speaking frame would be completed like this: "How many groups of 3 tens are in 4 tens, without regrouping?" This is to ensure that accurate place value and magnitude is maintained.</p>

Year 5	<p>NC Statement: Divide numbers up to 4 digits by a one-digit number using the formal written method of short division and interpret remainders appropriately for the context</p>	
<p>5LS12 Step 3: Short division for numbers up to 4-digits (grouping structure)</p>		
<p>Concrete</p>	<p>Pictorial - Jottings</p>	<p>Abstract - Written symbolic</p> $\begin{array}{r} 146 \\ 3 \overline{) 438} \\ \underline{30} \\ 13 \\ \underline{12} \\ 18 \\ \underline{18} \\ 0 \end{array}$ <p style="background-color: #f0f0f0; padding: 5px; border: 1px solid #ccc; border-radius: 10px; display: inline-block;">$438 \div 3 = 146$</p>
<p>Abstract - Speaking frame</p> <div style="border: 2px solid orange; border-radius: 15px; padding: 10px;"> <p>I want to know how many groups of ... are in How many groups of ... hundreds are in ... hundreds, without regrouping? I can make ... group(s) of ... hundreds. There is/are ... hundred(s) remaining. I need to regroup the ... hundreds into ...tens.</p> </div>		<p>Notes: Speaking frame note: This is an extension to the previous speaking frame. In this example, the speaking frame would be completed like this: "How many groups of 3 hundreds are in 4 hundreds, without regrouping?" This is to ensure that accurate place value and magnitude is maintained.</p>

<h2>Year 5</h2>	<p>NC Statement: Divide numbers up to 4 digits by a one-digit number using the formal written method of short division and interpret remainders appropriately for the context</p>	
<p>5LS12 Step 4: Short division (grouping structure) - expressing quotients with fractions</p>		
<p>Concrete</p>	<p>Pictorial</p>	<p>Abstract - Written symbolic</p> $6 \overline{) 75} = 12 \frac{1}{2}$ <div style="border: 1px solid black; padding: 5px; display: inline-block; margin-top: 10px;"> $75 \div 6 = 12 \frac{1}{2}$ </div>
<p>Abstract - Speaking frame</p> <div style="border: 1px solid orange; border-radius: 15px; padding: 10px; margin: 10px 0;"> <p>I have a remainder of This is ... (remainder) out of ... (divisor) which I need for another group. This can be written as a fraction — . This can be simplified to — .</p> </div>		<p>Notes: Speaking frame note: This is an extension to the previous speaking frame (5LS12 Step 2). In this example the speaking frame would be completed like this: <i>"I have a remainder of 3. This is 3 out of 6 which I need for another group. This can be written as a fraction $\frac{3}{6}$. This can be simplified to $\frac{1}{2}$."</i></p>

Division

<h2>Year 5</h2>	<p>NC Statement: Divide numbers up to 4 digits by a one-digit number using the formal written method of short division and interpret remainders appropriately for the context</p>											
<p>5LS12 Step 5: Short division (grouping structure) - expressing quotients with decimals</p>												
<p>Concrete</p>	<p>Pictorial - Jottings <i>Jottings: multiples of the divisor</i></p> <table style="margin-left: auto; margin-right: auto;"> <tr><td>6</td></tr> <tr><td>12</td></tr> <tr><td>18</td></tr> <tr><td>24</td></tr> <tr><td>30</td></tr> <tr><td>36</td></tr> <tr><td>42</td></tr> <tr><td>48</td></tr> <tr><td>54</td></tr> <tr><td>60</td></tr> </table>	6	12	18	24	30	36	42	48	54	60	<p>Abstract - Written symbolic</p> $6 \overline{) 75.0} = 12.5$ <div style="border: 1px solid black; padding: 5px; display: inline-block; margin-top: 10px;"> $75 \div 6 = 12.5$ </div>
6												
12												
18												
24												
30												
36												
42												
48												
54												
60												
<p>Abstract - Speaking frame</p> <div style="border: 1px solid orange; border-radius: 15px; padding: 10px; margin: 10px 0;"> <p>I have a remainder of I need to regroup the ... ones into ... tenths. How many groups of ... tenths are in ... tenths, without regrouping? I can make ... group(s) of ... tenths. There are ... groups of ... in</p> </div>		<p>Notes: Speaking frame note: This is an extension to the previous speaking frame (5LS12 Step 2). In this example, the speaking frame would be completed like this: <i>"I have a remainder of 3. I need to regroup the 3 ones into 30 tenths. How many groups of 6 tenths are in 30 tenths, without regrouping? I can make 5 groups of 6 tenths. There are 12.5 groups of 6 in 75."</i></p>										

Division

Year 6	<p>NC Statement: Divide numbers up to 4 digits by a two-digit whole number using the formal written method of long division and interpret remainders as whole number remainders, fractions, or by rounding, as appropriate for the context</p>									
<p>6LS17 Step 2: Long division for numbers up to 4 digits</p>										
<p>Concrete</p>	<p>Pictorial - Jottings</p> <p><i>Jottings: multiples of the divisor</i></p> <table style="margin-left: auto; margin-right: auto;"> <tr><td>13</td></tr> <tr><td>26</td></tr> <tr><td>39</td></tr> <tr><td>52</td></tr> <tr><td>65</td></tr> <tr><td>78</td></tr> <tr><td>91</td></tr> <tr><td>104</td></tr> </table>	13	26	39	52	65	78	91	104	<p>Abstract - Written symbolic</p> $\begin{array}{r} 0 \quad 2 \quad 3 \quad 2 \\ 13 \overline{) 3016} \\ \underline{- 39} \\ 30 \\ \underline{- 26} \\ 41 \\ \underline{- 39} \\ 26 \\ \underline{- 26} \\ 0 \end{array}$ <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: fit-content; margin: 10px auto;"> $3016 \div 13 = 232$ </div>
13										
26										
39										
52										
65										
78										
91										
104										
<p>Abstract - Speaking frame</p> <div style="border: 1px solid orange; border-radius: 15px; padding: 10px; margin: 10px auto; width: 80%;"> <p>I want to know how many groups of ... are in How many groups of ... thousand are in ...thousand, without regrouping? I can make ... group(s) of ...thousand. There is/are ... thousand(s) remaining. I need to regroup the ... thousand(s) into ...hundreds.</p> </div>	<p>Notes: The structure of long division was first introduced in 3LS30, then revisited and extended in both years 4 and 5. It was revised in Step 1 of this sequence. Jottings are used to scaffold to derived related division facts. Speaking frame note: This is an extension to the previous speaking frame (5LS12 Step 2). In this example, the speaking frame would be completed like this: "How many groups of 13 thousands are in 3 thousand, without regrouping?" I can make zero groups of 13 thousand. There are 3 thousand remaining. I need to regroup the 3 thousands into 30 hundreds."</p>									

These additional examples show only jottings, completed speaking frames and abstract recording. This complexity of calculation should only be introduced to pupils once they are confident in the conceptual pathway and can explain the abstract recording with reference to the concrete and pictorial models.

Year 6	<p>NC Statement: Divide numbers up to 4 digits by a two-digit whole number using the formal written method of long division and interpret remainders as whole number remainders, fractions, or by rounding, as appropriate for the context</p>											
<p>6LS17 Step 4: Long division for numbers up to 4 digits - expressing quotients with fractions</p>												
<p>Abstract speaking frame</p> <div style="border: 1px solid orange; border-radius: 15px; padding: 10px; margin: 10px auto; width: 80%;"> <p>I have a remainder of 9. This is 9 out of the 15 which I need for another group. This can be written as a fraction $\frac{9}{15}$. This can be simplified to $\frac{3}{5}$. There are $37\frac{3}{5}$ in each of the 15 groups.</p> </div>	<p>Pictorial - Jottings</p> <p><i>Jottings: multiples of the divisor</i></p> <table style="margin-left: auto; margin-right: auto;"> <tr><td>15</td></tr> <tr><td>30</td></tr> <tr><td>45</td></tr> <tr><td>60</td></tr> <tr><td>75</td></tr> <tr><td>90</td></tr> <tr><td>105</td></tr> <tr><td>120</td></tr> <tr><td>135</td></tr> <tr><td>150</td></tr> </table>	15	30	45	60	75	90	105	120	135	150	<p>Abstract - Written symbolic</p> $\begin{array}{r} 0 \quad 3 \quad 7 \quad \frac{3}{5} \\ 15 \overline{) 564} \\ \underline{- 0} \\ 56 \\ \underline{- 45} \\ 114 \\ \underline{- 105} \\ 9 \end{array}$ <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: fit-content; margin: 10px auto;"> $564 \div 15 = 37\frac{3}{5}$ </div>
15												
30												
45												
60												
75												
90												
105												
120												
135												
150												

Written Calculation Progression

<p>Additional Year 6 examples</p> <p>Year 6</p>	<p>NC Statement: Divide numbers up to 4 digits by a two-digit whole number using the formal written method of long division and interpret remainders as whole number remainders, fractions, or by rounding, as appropriate for the context</p>	
<p>6LS17 Step 5: Long division for numbers up to 4 digits - expressing quotients with decimals</p>		
<p>Abstract speaking frame</p> <div style="border: 1px solid orange; border-radius: 15px; padding: 10px; margin: 10px;"> <p>I have a remainder of 9. I need to regroup the 9 ones into 90 tenths. How many groups of 15 tenths are in 90 tenths, without regrouping? I can make 6 groups of 15 tenths. There is nothing remaining. There are 37.6 groups of 15 in 564.</p> </div>	<p>Pictorial - Jottings <i>Jottings: multiples of the divisor</i></p> <p>15 30 45 60 75 90 105 120 135 150</p>	<p>Abstract - Written symbolic</p> $ \begin{array}{r} 037.6 \\ 15 \overline{) 564.0} \\ \underline{- 0} \\ 56 \\ \underline{- 45} \\ 114 \\ \underline{- 105} \\ 90 \\ \underline{- 90} \\ 0 \end{array} $ <div style="border: 1px solid blue; border-radius: 10px; padding: 5px; margin: 10px; display: inline-block;"> $564 \div 15 = 37.6$ </div>

Additional Year 6 examples

Written Calculation Progression

<p>Additional Year 6 examples</p> <p>Year 6</p>	<p>NC Statement: Multiply multi-digit numbers of up to 4-digits by a two-digit whole number using the formal written method of long multiplication</p>	
<p>6LS12 Step 3: Long multiplication; up to 4-digit by 2-digit</p>		
<p>Abstract speaking frame</p> <div style="border: 1px solid orange; border-radius: 15px; padding: 10px; margin: 10px;"> <p>First, I need to consider the ones in the multiplier. 7 groups of 6 ones is 42 ones. I need to regroup into 4 tens and 2 ones. 7 groups of 3 tens is 21 tens. I need to add the regrouped 4 tens. I now have 25 tens. I need to regroup into 2 hundreds and 5 tens. 7 groups of 8 hundreds is 56 hundreds. I need to add the regrouped 2 hundreds. I now have 58 hundreds. I can regroup this into 5 thousands and 8 hundreds.</p> <p>Then, considering the tens in the multiplier. 20 groups of 6 ones is 120 ones. I need to regroup into 1 hundred and 2 tens. 20 groups of 3 tens is 6 hundreds. I need to add the regrouped 1 hundred. I now have 7 hundreds. 20 groups of 8 hundred is 16 thousand. There are no regroupings to add.</p> <p>The total of the two partial products is 22, 572. The product of 836 and 27 is 22, 572.</p> </div>	<p>Pictorial - Jottings <i>Jottings: multiples of tricky multipliers</i></p> <p>7 14 21 28 35 42 49 56 63 70 77 84</p>	<p>Abstract - Written symbolic</p> $ \begin{array}{r} 21 \\ 836 \\ \times 27 \\ \hline 5852 \\ 16720 \\ \hline 22572 \\ 11 \end{array} $ <div style="border: 1px solid blue; border-radius: 10px; padding: 5px; margin: 10px; display: inline-block;"> $836 \times 27 = 22,572$ </div>

Additional Year 6 examples